

12/12/2017

Maths Calculation Policy.

Britannia Community Primary
School

Written by – N.Longstaff

Date of agreement –January 2018

Approved at Governors-



Natalie Longstaff

Maths Calculation Policy 2017-2018

This calculations policy supports the No Problem Singapore Maths scheme used throughout the school.

Progression within in each area of calculation is in line with the programme of study in the 2014 National Curriculum.

This calculation policy should be used to support children to develop a deep understanding of number and calculation. This policy has been designed to teach children through the use of concrete, pictorial and abstract methods/representations.

Concrete representation - a pupil is first introduced to an idea or a skill by acting it out with real objects. This is a 'hands on' component using real objects and it is the foundation for conceptual understanding.





















Pictorial representation - a pupil has sufficiently understood the hands-on experiences performed and can now relate them to representations, such as a diagram or picture of the problem.

Abstract representation - a pupil is now capable of representing problems by using mathematical notation, for example: $12 \div 2 = 6$.

It is important that conceptual understanding, supported by the use of representation, is secure for all procedures. Reinforcement is achieved by going back and forth between these representations.



Reception





Addition									
<p>Explore part part whole relationship - Combining two parts to make a whole</p>	<div style="text-align: center;"> <p><small>The basic part of recording calculations using pictures</small></p> <p><small>Making 6</small></p>  </div> <div style="text-align: center; margin-top: 20px;">  </div> <div style="text-align: center; margin-top: 20px;">  </div>								
<p>Using the ten frame/egg boxes to support addition of single digits - counting all/combining two groups</p>	<table border="1" style="border-collapse: collapse; width: 100%;"> <tbody> <tr> <td style="text-align: center;">  </td> <td style="text-align: center; padding: 5px;">$6 + 4 = 10$</td> </tr> <tr> <td style="text-align: center;">  </td> <td style="text-align: center; padding: 5px;">$4 + 4 = 8$</td> </tr> <tr> <td style="text-align: center;">  </td> <td style="text-align: center; padding: 5px;">$5 + 2 = 7$</td> </tr> <tr> <td style="text-align: center;">  </td> <td style="text-align: center; padding: 5px;">$2 + 4 = 6$</td> </tr> </tbody> </table>		$6 + 4 = 10$		$4 + 4 = 8$		$5 + 2 = 7$		$2 + 4 = 6$
	$6 + 4 = 10$								
	$4 + 4 = 8$								
	$5 + 2 = 7$								
	$2 + 4 = 6$								
<p>Solving problems using concrete and pictorial images</p>	<p>Sara has 2 apples. Jon has 5 apples. How many apples do they have altogether? How many more apples does Jon have than Sara?</p> <div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> </div> <div style="display: flex; justify-content: space-around; margin-top: 20px;"> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> <div style="text-align: center;">  </div> </div>								

Division	
<p>Sharing practical objects.</p> <p>Hearing and being exposed to language to describe half and seeing visual representatives.</p>	









Year 1

Addition	
<p>Combining two parts to make a whole: part-whole model. Joining two groups and then recounting all objects (lots of practice making 10 and numbers to 10 e.g. $6 + 4 = 10$ or $3 + 5 = 8$)</p>	<p>$3 + 4 = 7$</p>
<p>Number Bonds Learn number bonds to 20 and demonstrate related facts. Addition and subtraction taught alongside each other as pupils need to see the relationship between the facts.</p>	<p style="text-align: center;"> $6 + 4 = 10$ $4 + 6 = 10$ $10 - 4 = 6$ $10 - 6 = 4$ </p> <p style="text-align: center;"> $8 + 4 = 12$ $4 + 8 = 12$ $12 - 8 = 4$ $12 - 4 = 8$ </p> <p style="text-align: center;">This is a family of addition and subtraction facts.</p>
<p>Add and subtract one digit numbers and two digit numbers to 20, including zero</p>	<p>$8 + 1 = 9$</p> <p style="text-align: center;">$8 + 1 = 9$</p>
<p>Bridging 10: use ten frames, Singapore bars, egg boxes and number lines to practice. Children should start with the larger number and add the smaller number seeing what makes ten.</p>	<p>$6 + 6 = 12$</p> <p style="text-align: center;">Make 9 in one and 3 in the other. Take one from the 3 to make the 9 into a ten... $10 + 2 = 12$</p>




Subtraction	
Taking away should begin with physical objects: counters, cubes, Dienes etc	 <p style="text-align: center;">$6 - 3 = 3$</p>
Subtraction by counting back	<p>Let's Learn</p> <p>Subtract by Counting Back</p> <p>Subtract 3 from 15.</p> <p>Count back 3 steps from 15.</p>  <p>$15 - 3 = 12$</p> <p>There are 12 flowers left.</p>
Subtracting a single digit number from a single digit number and a single digit from a two digit by crossing out pictures	<p>Subtract by Crossing Out</p>  <p>$7 - 2 = 5$</p> <p>5 ladybirds are left.</p>
Subtracting using the part part whole model (include problem solving with missing digits).	<p>How many boats are not red?</p>  <p>$7 - 5 = 2$</p> <p>2 boats are not red.</p>

<p>Subtraction by subtracting from 10</p> <p><i>Children subtract from 10 and not from ones</i></p>	<p>$14 - 8 = ?$</p> <p>Let's Learn</p> <p>Subtract from 10 $14 - 8 = ?$</p> <p>$14 - 8 = 6$ Sam has 6 doughnuts left.</p>
<p>When subtracting using Dienes children should be taught to regroup (rename) a ten rod for 10 ones and then subtract from those ones</p>	<p>$20 - 4 = 16$</p>
<p>Subtracting multiples of 10</p> <p><i>Using the vocabulary of 1 ten, 2 tens etc alongside 10, 20, 30 is very important here as pupils need to understand that it is a 10 not a 1 that is being taken away</i></p>	<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p>$40 = 60 - 20$</p> </div> <div style="text-align: center;"> <p>$38 - 10 = 28$</p> <p>$38 - 10 = \square$</p> </div> </div>




Multiplication	
<p>Counting in multiples of 2, 5 and 10 from zero</p> <p><i>Children should count the number of groups on their fingers as they are skip counting</i></p>	<div style="display: flex; align-items: center;"> <div style="margin-right: 20px;"> <p>② ④ ⑥ ⑧</p> <p>4 groups of 2 = 8</p> <p>$4 \times 2 = 8$</p> </div> <div style="text-align: center;">  <p>$2 \times 4 = 8$</p> </div> </div> <div style="margin-top: 20px; text-align: center;">  <p>2 2 2 2</p> <p>two two two two</p> </div>
<p>When moving to pictorial/written calculations the vocabulary is important</p>	<div style="display: flex; align-items: center;"> <div style="margin-right: 20px;">  </div> <div> <p>This image represents two groups of 4 or 4 twice</p> </div> </div>
<p>Solving multiplication problems using repeated addition</p>	<div style="text-align: center;">  <p>$3 + 3 + 3$</p>  <p>How many apples are there altogether?</p> <p>$3 + 3 + 3 = 9$</p> </div>
Division	
<p>Pupils should be taught to divide through working practically and the sharing should be shown below the whole to familiarize children with the concept of the whole.</p> <p><i>The language of whole</i></p>	<p>$10 \div 2 = 5$</p> <p>① There are 8 cans.</p>  <p>There are 4 boxes of 2 cans.</p>

Year 2

Addition											
Using concrete objects and pictorial representations to add a 2 digit number with a 1 digit number.	 <table style="margin-left: 20px;"> <thead> <tr> <th style="padding: 0 10px;">tens</th> <th style="padding: 0 10px;">ones</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">2</td> <td style="text-align: center;">5</td> </tr> <tr> <td style="text-align: center;">+</td> <td style="text-align: center;">3</td> </tr> <tr> <td colspan="2" style="border-top: 1px solid black;"></td> </tr> <tr> <td></td> <td style="text-align: center;">8</td> </tr> </tbody> </table>	tens	ones	2	5	+	3				8
tens	ones										
2	5										
+	3										
	8										
Using concrete objects and pictorial representations to add a 2 digit number and 10s number.	<p>Step 1 Add the ones.</p>  <table style="margin-left: 20px;"> <thead> <tr> <th style="padding: 0 10px;">tens</th> <th style="padding: 0 10px;">ones</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">9</td> </tr> <tr> <td style="text-align: center;">+</td> <td style="text-align: center;">2</td> </tr> <tr> <td colspan="2" style="border-top: 1px solid black;"></td> </tr> <tr> <td></td> <td style="text-align: center;">9</td> </tr> </tbody> </table>	tens	ones	1	9	+	2				9
	tens	ones									
	1	9									
+	2										
	9										
<p>Step 2 Add the tens. 1 ten + 2 tens = 3 tens</p>  <table style="margin-left: 20px;"> <thead> <tr> <th style="padding: 0 10px;">tens</th> <th style="padding: 0 10px;">ones</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">9</td> </tr> <tr> <td style="text-align: center;">+</td> <td style="text-align: center;">2</td> </tr> <tr> <td colspan="2" style="border-top: 1px solid black;"></td> </tr> <tr> <td style="text-align: center;">3</td> <td style="text-align: center;">9</td> </tr> </tbody> </table> <p>$19 + 20 = 39$</p>	tens	ones	1	9	+	2			3	9	
tens	ones										
1	9										
+	2										
3	9										

Using concrete objects and pictorial representations to add 2 2-digit numbers.

Step 1 Add the ones.
3 ones + 4 ones = 7 ones



tens	ones
2	3
+ 1	4
<hr/>	
	7

Step 2 Add the tens.
2 tens + 1 ten = 3 tens




tens	ones
2	3
+ 1	4
<hr/>	
3	7

$23 + 14 = 37$


Adding with renaming

Add 15 and 18.

Use  to help you add.



Step 1 Add the ones.
5 ones + 8 ones = 13 ones
Regroup the ones.
13 ones = 1 ten and 3 ones



tens	ones
1	5
+ 1	8
<hr/>	
1	3

Step 2 Add the tens.
1 ten + 1 ten + 1 ten = 3 tens



tens	ones
1	5
+ 1	8
<hr/>	
1	3
+ 2	0
<hr/>	
3	3

$15 + 18 = 33$

Using concrete objects and pictorial representations to add 3 single digit numbers.



$7+3+2 =$ leads to $10 + 2 =$











Using the bar to find missing digits.

It is important for children to use the bar in this way to encourage the use of it to aid with problem solving.

Helen has 14 breadsticks. Her friend has 17. How many do they have altogether?



Subtraction																					
Using concrete objects and pictorial representations to subtract a 1 digit number from 2 digit number.	<p>Step 1 Subtract the ones. 8 ones - 3 ones = 5 ones</p>  <table style="margin-left: 100px;"> <thead> <tr> <th>tens</th> <th>ones</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>8</td> </tr> <tr> <td>-</td> <td>3</td> </tr> <tr> <td colspan="2"><hr/></td> </tr> <tr> <td></td> <td>5</td> </tr> </tbody> </table> <p>Step 2 Subtract the tens.</p>  <table style="margin-left: 100px;"> <thead> <tr> <th>tens</th> <th>ones</th> </tr> </thead> <tbody> <tr> <td>2</td> <td>8</td> </tr> <tr> <td>-</td> <td>3</td> </tr> <tr> <td colspan="2"><hr/></td> </tr> <tr> <td>2</td> <td>5</td> </tr> </tbody> </table> <p>$28 - 3 = 25$</p>	tens	ones	2	8	-	3	<hr/>			5	tens	ones	2	8	-	3	<hr/>		2	5
tens	ones																				
2	8																				
-	3																				
<hr/>																					
	5																				
tens	ones																				
2	8																				
-	3																				
<hr/>																					
2	5																				
Using concrete objects and pictorial representations to subtract a 10s number from 2 digit number.	<p>Step 1 Subtract the ones.</p>  <table style="margin-left: 100px;"> <thead> <tr> <th>tens</th> <th>ones</th> </tr> </thead> <tbody> <tr> <td>3</td> <td>6</td> </tr> <tr> <td>-</td> <td>2</td> </tr> <tr> <td colspan="2"><hr/></td> </tr> <tr> <td></td> <td>6</td> </tr> </tbody> </table> <p>Step 2 Subtract the tens. 3 tens - 2 tens = 1 ten</p>  <table style="margin-left: 100px;"> <thead> <tr> <th>tens</th> <th>ones</th> </tr> </thead> <tbody> <tr> <td>3</td> <td>6</td> </tr> <tr> <td>-</td> <td>2</td> </tr> <tr> <td colspan="2"><hr/></td> </tr> <tr> <td>1</td> <td>6</td> </tr> </tbody> </table> <p>$36 - 20 = 16$</p>	tens	ones	3	6	-	2	<hr/>			6	tens	ones	3	6	-	2	<hr/>		1	6
tens	ones																				
3	6																				
-	2																				
<hr/>																					
	6																				
tens	ones																				
3	6																				
-	2																				
<hr/>																					
1	6																				
Using concrete objects and pictorial representations to subtract a 2 digit number from 2 digit number.	<p>Subtract 24 from 37.</p> <p>Step 1 Subtract the ones. 7 ones - 4 ones = 3 ones</p>  <table style="margin-left: 100px;"> <thead> <tr> <th>tens</th> <th>ones</th> </tr> </thead> <tbody> <tr> <td>3</td> <td>7</td> </tr> <tr> <td>-</td> <td>4</td> </tr> <tr> <td colspan="2"><hr/></td> </tr> <tr> <td></td> <td>3</td> </tr> </tbody> </table> <p>Step 2 Subtract the tens. 3 tens - 2 tens = 1 ten</p>  <table style="margin-left: 100px;"> <thead> <tr> <th>tens</th> <th>ones</th> </tr> </thead> <tbody> <tr> <td>3</td> <td>7</td> </tr> <tr> <td>-</td> <td>4</td> </tr> <tr> <td colspan="2"><hr/></td> </tr> <tr> <td>1</td> <td>3</td> </tr> </tbody> </table> <p>$37 - 24 = 13$</p> <div style="text-align: right; margin-top: 10px;"> <p>Use  to help you subtract.</p>  </div>	tens	ones	3	7	-	4	<hr/>			3	tens	ones	3	7	-	4	<hr/>		1	3
tens	ones																				
3	7																				
-	4																				
<hr/>																					
	3																				
tens	ones																				
3	7																				
-	4																				
<hr/>																					
1	3																				

Recognise and use the inverse relationship between addition and subtraction

?	
23	53

76	
23	?

Use this to check calculations and solve missing number problems.



Multiplication	
<p>Skip counting in multiples of 2, 3, 5, 10 from 0</p>	
<p>Recall and use multiplication facts for the multiplication tables 2, 5 and 10.</p>	
<p>Use multiplication (x) and equal (=) sign when writing out times tables.</p>	
<p>Understanding Multiplication is commutative</p> <p><i>Pupils should understand that an array can represent different equations and that, as multiplication is commutative, the order of the multiplication does not affect the answer.</i></p>	<p>How many dots are there?</p> <div style="display: flex; justify-content: space-around; align-items: flex-start;"> <div style="text-align: center;"> <p>$2 \times 5 = 10$</p> </div> <div style="text-align: center;"> <p>$5 \times 2 = 10$</p> </div> <div style="text-align: center;"> <p>$12 = 3 \times 4$</p> </div> <div style="text-align: center;"> <p>$12 = 4 \times 3$</p> </div> </div> <p>2×5 is equal to 5×2.</p>

Solve multiplication problems in context using arrays and repeated addition



$3 \times 5 = \square$

$5 \times 3 = \square$









$3 + 3 + 3$




$3 + 3 + 3 = 9$




Division	
Recall and use division facts for the multiplication tables 2, 5 and 10.	<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> $10 \div 2 =$ • $20 \div 10 =$ • $30 \div 10 =$ • $50 \div 10 =$ • $60 \div 10 =$ • $100 \div 10 =$ • </div> <div style="text-align: center;"> $\div 2 =$ • $\div 5 =$ • $\div 10 =$ • </div> </div>
Solve division problems in context using concrete objects by sharing	<p>There are 18 sausages.</p>  <p>Put 18 sausages equally on 2 plates.</p> <p>There are 9 sausages on each plate.</p> <p>$18 \div 2 = 9$</p> <div style="display: flex; align-items: center; justify-content: center;"> <div style="border: 1px solid gray; border-radius: 50%; padding: 5px; margin-right: 10px;">$2 \times 9 = 18$</div>  </div>
Solve division problems in context using arrays	
Solve division as grouping.	<p>Put 10 buns in groups of 2. How many plates are there?</p> 

	 <p>Put into groups of 5. There are <input type="text"/> groups.</p>
<p>use the inverse</p> <p>This should be taught alongside both multiplication and division.</p>	<p>Make a family of multiplication and division facts.</p>  <p>$2 \times 10 = 20$ ————— $20 \div 10 =$ <input type="text"/></p> <p>$10 \times 2 = 20$ ————— $20 \div 2 =$ <input type="text"/></p>

Year 3

Addition													
<p>Add two three digit numbers.</p> <p><i>Children need to use equipment first to support their understanding of place value.</i></p> <p><i>Starting without renaming and gradually moving towards renaming.</i></p>	<p>432 + 521 =</p> <p>Step 1 Add the ones. 2 ones + 1 one = 3 ones</p>  <table style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th style="padding: 0 10px;">h</th> <th style="padding: 0 10px;">t</th> <th style="padding: 0 10px;">o</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">4</td> <td style="text-align: center;">3</td> <td style="text-align: center; background-color: #f8d7da;">2</td> </tr> <tr> <td style="text-align: center;">+</td> <td style="text-align: center;">5</td> <td style="text-align: center; background-color: #f8d7da;">2</td> </tr> <tr> <td colspan="3" style="border-top: 1px solid black; text-align: right; padding-right: 10px;">3</td> </tr> </tbody> </table>	h	t	o	4	3	2	+	5	2	3		
h	t	o											
4	3	2											
+	5	2											
3													

Step 2 Add the tens.
3 tens + 2 tens = 5 tens




	h	t	o
	4	3	2
+	5	2	1
	9	5	3

Step 3 Add the hundreds.
4 hundreds + 5 hundreds = 9 hundreds




	h	t	o
	4	3	2
+	5	2	1
	9	5	3

$236 + 345 =$



	h	t	o
	2	3	6
+	3	4	5
	5	7	1

Step 2 Add the tens.
1 ten + 3 tens + 4 tens = 8 tens



	h	t	o
	2	3	6
+	3	4	5
	5	8	1

Step 3 Add the hundreds.
2 hundreds + 3 hundreds = 5 hundreds



	h	t	o
	2	3	6
+	3	4	5
	5	8	1

$236 + 345 = 581$

Bar modeling
It is important for children to use the bar in this way to encourage the use of it to aid with problem solving.

Bar Model to support understanding of problem solving:



A man sold 230 balloons at a carnival in the morning. He sold another 86 balloons in the evening. How many balloons did he sell in all?



Subtraction

Subtract up to 3 digits from 3 digits.

Very important for children to use dienes equipment along with a place value chart to support.


Only when secure with the method should exchanging be introduced.

Subtract 723 from 915.

Step 1 Subtract the ones.
5 ones - 3 ones = 2 ones



Step 2 Subtract the tens.
7 tens - 2 tens = 5 tens




Step 3 Subtract the hundreds.
9 hundreds - 7 hundreds = 2 hundreds




915 - 723 = 192

Subtract 269 from 520.

Step 1 Regroup 1 ten into 10 ones.
Subtract the ones.
10 ones - 9 ones = 1 one



Step 2 Regroup 1 ten into 10 ones.
Subtract the tens.
11 tens - 6 tens = 5 tens



Step 3 Subtract the hundreds.
4 hundreds - 2 hundreds = 2 hundreds



520 - 269 = 251

Using the bar to find missing number.

It is important for children to use the bar in this way to encourage the use of it to aid with problem solving.

315
185

 $315 - 185 = ?$
 $185 + ? = 315$

?
185

 $185 + 315 = ?$
 $? - 185 = 315$


Multiplication

Children should be able to recall the 2, 5, 10, 3, 4 and 8 times tables.


Multiply a two digit number by a one digit.

Let's Learn

1 There are 4 groups of 23 fish. How do we multiply 23 by 4?




Step 1: Multiply the ones by 4.




4 ones \times 4 = 12 ones
 12 ones = 1 ten 2 ones

Step 2: Multiply the tens by 4.



2 tens \times 4 = 8 tens

Step 3: Add the products.



$12 + 80 = 92$


$23 \times 4 = 92$











There are 92 fish in 4 tanks.

Using the bar to solve multiplication problems.

4 children go to the cinema.
 They each pay £15. How much do they spend altogether?

Whole unknown



Division										
Dividing by grouping understanding the concept of remainders.	<p>Start with using the real objects-or objects that represent the calculation.</p>  <p style="text-align: center;">$13 \div 4 = 3 \text{ Remainder } 1$</p>									
<p>Dividing using short division.</p> <p><i>Once children are secure with division as grouping and demonstrate this using number lines, arrays etc., short division for larger 2-digit numbers should be introduced, initially with carefully selected examples requiring no calculating of remainders at all. Start by introducing the layout of short division by comparing it to an array.</i></p>	<div style="text-align: center;"> <table style="border-collapse: collapse; margin: auto;"> <tr> <td style="padding: 0 10px;">T</td> <td style="border-bottom: 1px solid black; padding: 0 10px;">2</td> <td style="padding: 0 10px;">U</td> </tr> <tr> <td style="padding: 0 10px;">3</td> <td style="border-left: 1px solid black; border-bottom: 1px solid black; padding: 0 10px;">6</td> <td style="border-bottom: 1px solid black; padding: 0 10px;">9</td> </tr> <tr> <td></td> <td style="border-left: 1px solid black; padding: 0 10px;">  </td> <td style="padding: 0 10px;">  </td> </tr> </table> </div> <p>Remind children of correct place value, that 69 is equal to 60 and 9, but in short division, pose:</p> <ul style="list-style-type: none"> · How many 3's in 6? = 2, and record it above the 6 tens. · How many 3's in 9? = 3, and record it above the 9 ones. <p>Once children demonstrate a full understanding of remainders, and also the short division method taught, they can be taught how to use the method when remainders occur within the calculation (e.g. $72 \div 3$), and be taught to 'carry' the remainder onto the next digit.</p> 	T	2	U	3	6	9			
T	2	U								
3	6	9								
										
Using the bar to aid the solving of division problems.	<p>Four children bought a present for £28. They shared the costs equally. How much did each child pay? </p> <div style="text-align: center;">  <p>$£28 \div 4 = £7$</p> <p>whole number of parts one part</p> </div>									

Addition

Adding numbers with up to 4 digits.

Again this should start with the children using dienes to support them with lots of discussion about the value of each digit.

2 3 1 4	
+ 4 2 4 0	
6 5 5 4	

Step 1 Add the ones.
4 ones + 0 ones = 4 ones

Step 2 Add the tens.
1 ten + 4 tens = 5 tens

Step 3 Add the hundreds.
3 hundreds + 2 hundreds = 5 hundreds

Step 4 Add the thousands.
2 thousands + 4 thousands = 6 thousands

$2314 + 4240 = 6554$

Step 2 Add the tens. 7 tens + 5 tens + 1 ten = 13 tens.
Rename the tens. 13 tens = 1 hundred and 3 tens

Step 3 Add the hundreds.
5 hundreds + 2 hundreds + 1 hundred = 8 hundreds

Step 4 Add the thousands.
5 thousands + 1 thousand = 6 thousands

Using the bar to find missing digits.

It is important for children to use the bar in this way to encourage the use of it to aid with problem solving.

This is not a form of getting the correct answer but helping to guide children to the correct operation.

Alison jogs 6,860 metres and Calvin jogs 5,470 metres. How far do they jog altogether?



Subtraction

Subtract with numbers up to four digits including exchanging when children are secure.

Again children need to use dienes to support their learning.

3 4 3 7	
- 2 0 1 6	
1 4 2 1	

Step 1 Subtract the ones.
7 ones - 6 ones = 1 one

Step 2 Subtract the tens.
3 tens - 1 ten = 2 tens

Step 3 Subtract the hundreds.
4 hundreds - 0 hundreds = 4 hundreds

Step 4 Subtract the thousands.
3 thousands - 2 thousands = 1 thousand

There aren't enough ones.

3 4 3 7	
- 2 0 1 6	
1 4 2 1	


--	--

<p>Using the bar to find missing digits.</p> <p><i>It is important for children to use the bar in this way to encourage the use of it to aid with problem solving.</i></p>	<p>There are 3,160 books in a shop. 1,226 are in English and the rest are in French. How many French books are there?</p> <table border="1" style="margin: auto; border-collapse: collapse;"> <tr> <td colspan="2" style="text-align: center;">3160</td> </tr> <tr> <td style="text-align: center;">1226</td> <td style="text-align: center;">?</td> </tr> </table>	3160		1226	?
3160					
1226	?				

Multiplication




<p>Children to know all times tables to 12 x 12.</p> <p>Ladder method to be used with children multiplying both two and three digits by a one digit number.</p>	$ \begin{array}{r} 314 \\ \times 3 \\ \hline 12 \quad (3 \times 4) \\ 30 \quad (3 \times 10) \\ + 900 \quad (3 \times 300) \\ \hline 942 \end{array} $												
	<table border="1" style="margin: auto; border-collapse: collapse;"> <tr> <td style="text-align: center;">100 100</td> <td style="text-align: center;">10 10 10 10</td> <td style="text-align: center;">1 1</td> </tr> <tr> <td style="text-align: center;">100 100</td> <td style="text-align: center;">10 10 10</td> <td style="text-align: center;">1</td> </tr> <tr> <td style="text-align: center;">100 100</td> <td style="text-align: center;">10 10 10 10</td> <td style="text-align: center;">1 1</td> </tr> <tr> <td style="text-align: center;">100 100</td> <td style="text-align: center;">10 10 10</td> <td style="text-align: center;">1</td> </tr> </table>	100 100	10 10 10 10	1 1	100 100	10 10 10	1	100 100	10 10 10 10	1 1	100 100	10 10 10	1
100 100	10 10 10 10	1 1											
100 100	10 10 10	1											
100 100	10 10 10 10	1 1											
100 100	10 10 10	1											

<p>Multiplying using the bar.</p>	<p>A computer costs 5 times as much as a television. The television costs £429.</p> <p>How much does the computer cost?</p>	<p>Cost of the computer</p> <table border="1" style="margin: auto; border-collapse: collapse;"> <tr> <td colspan="5" style="text-align: center;">?</td> </tr> <tr> <td style="text-align: center;">£429</td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	?					£429				
?												
£429												

Division																					
<p>Dividing up to three digit numbers by a one digit number using short division.</p> <p>Only when the children are secure with dividing a two-digit number should they move onto a 3-digit number.</p>	<table border="1" style="margin-bottom: 10px; border-collapse: collapse; text-align: center;"> <tr> <td style="width: 20px;"></td> <td style="width: 40px;">H</td> <td style="width: 40px;">T</td> <td style="width: 40px;">U</td> <td style="width: 40px;"></td> </tr> <tr> <td></td> <td>0</td> <td>2</td> <td>5</td> <td>r1</td> </tr> <tr style="border-top: 1px solid black;"> <td style="border-right: 1px solid black;">5</td> <td>1</td> <td>2</td> <td>6</td> <td></td> </tr> <tr> <td></td> <td></td> <td style="text-align: left;">•••••</td> <td style="text-align: left;">•••••</td> <td style="text-align: left;">•••••</td> </tr> </table> 		H	T	U			0	2	5	r1	5	1	2	6				•••••	•••••	•••••
	H	T	U																		
	0	2	5	r1																	
5	1	2	6																		
		•••••	•••••	•••••																	
<p>Dividing using the bar.</p>	<p>Desmond and Melissa collect cards. They have 192 cards in all. Melissa has three times as many cards as Desmond. How many cards does Desmond have?</p> <table border="1" style="margin: 10px auto; border-collapse: collapse; text-align: center;"> <tr style="background-color: #e0e0e0;"> <td colspan="4">192</td> </tr> <tr> <td style="background-color: #4db6ac;">D = ?</td> <td style="background-color: #e57373;">M</td> <td style="background-color: #e57373;">M</td> <td style="background-color: #e57373;">M</td> </tr> </table>	192				D = ?	M	M	M												
192																					
D = ?	M	M	M																		




Year 5

Addition	
<p>Adding numbers with more than 4 digits including decimals</p> <p><i>Using place value charts are key to this as well as place value counters to help with the decimals</i></p>	
<p>Using the bar to find missing digits.</p> <p><i>It is important for children to use the bar in this way to encourage the use of it to aid with problem solving.</i></p>	<p>This is not a form of getting the correct answer but helping to guide children to the correct operation.</p> <p>MacDonalds sold £9957.68 worth of hamburgers and £1238.5 worth of chicken nuggets. How much money did they take altogether?</p> 
Subtraction	
<p>Subtract with at least four digit numbers including two decimal places.</p> <p><i>Include money, measures and decimals ensuring that children do this practically before the abstract.</i></p>	<p>Subtract with decimal values, including mixtures of integers and decimals, aligning the decimal point.</p> 

<p>Using the bar to find missing digits.</p> <p><i>It is important for children to use the bar in this way to encourage the use of it to aid with problem solving.</i></p>	<p>A whole to Lapland costs £5005 for a family of four, the Smith's have only saved £3787.75, how much money do they still need to find?</p> <table border="1" data-bbox="820 376 1214 483"> <tr> <td colspan="2" style="text-align: center;">£5005</td> </tr> <tr> <td style="text-align: center;">?</td> <td style="text-align: center;">£3787.75</td> </tr> </table>	£5005		?	£3787.75						
£5005											
?	£3787.75										
Multiplication											
<p>Multiplying up to four digit numbers by two digits using long multiplication.</p> <p><i>Children need to be taught to approximate first, e.g. for 72×38, they will use rounding: 72×38 is approximately $70 \times 40 = 2800$, and use the approximation to check the</i></p>	<table style="border-collapse: collapse;"> <tr> <td style="padding-right: 10px;">56</td> <td></td> </tr> <tr> <td>X 27</td> <td></td> </tr> <tr> <td colspan="2" style="border-top: 1px solid black; padding-top: 5px;">392 (56x7)</td> </tr> <tr> <td colspan="2" style="padding-top: 5px;">1120 (56x20)</td> </tr> <tr> <td colspan="2" style="border-top: 1px solid black; padding-top: 5px;">1512</td> </tr> </table> <p>Explain that first we are multiplying the top number by 7 starting with the units. (any carrying needs to be done underneath the numbers).</p>	56		X 27		392 (56x7)		1120 (56x20)		1512	
56											
X 27											
392 (56x7)											
1120 (56x20)											
1512											




<p><i>reasonableness of their answer.</i></p>	<ul style="list-style-type: none"> - Now explain that we need to put a 0 underneath—explain that this is because we are multiplying the number by 20.. (2 tens) which is the same as multiplying 10 and 2. - Now add the 2 numbers together to give you the answer. - This will need lots of modeling to show the children. <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;"> <table border="1" style="border-collapse: collapse;"> <tr><td></td><td>3</td><td>6</td><td>5</td><td>2</td></tr> <tr><td>x</td><td></td><td></td><td></td><td>8</td></tr> <tr><td colspan="5" style="border-top: 1px solid black;"></td></tr> <tr><td>2</td><td>9</td><td>2</td><td>1</td><td>6</td></tr> <tr><td></td><td>5</td><td>4</td><td>1</td><td></td></tr> </table> </div> <div style="text-align: center;"> <table border="1" style="border-collapse: collapse;"> <tr><td></td><td>1</td><td>2</td><td>3</td><td>4</td></tr> <tr><td>x</td><td></td><td></td><td>1</td><td>6</td></tr> <tr><td colspan="5" style="border-top: 1px solid black;"></td></tr> <tr><td>7</td><td>4</td><td>0</td><td>4</td><td></td></tr> <tr><td>1</td><td>2</td><td>3</td><td>4</td><td>0</td></tr> <tr><td>1</td><td>9</td><td>7</td><td>4</td><td>4</td></tr> </table> <p>(1234 × 6)</p> <p>(1234 × 10)</p> </div> </div>		3	6	5	2	x				8						2	9	2	1	6		5	4	1			1	2	3	4	x			1	6						7	4	0	4		1	2	3	4	0	1	9	7	4	4
	3	6	5	2																																																				
x				8																																																				
2	9	2	1	6																																																				
	5	4	1																																																					
	1	2	3	4																																																				
x			1	6																																																				
7	4	0	4																																																					
1	2	3	4	0																																																				
1	9	7	4	4																																																				
<p>Using the bar to support multiplication.</p>	<p>The cost to run a sports centre is £4375 a week, how much would it cost to run for 16 weeks?</p> <div style="text-align: center;">  </div>																																																							
<h3>Division</h3>																																																								
<p>Diving with up to four digit numbers by one digit including numbers where remainders are left.</p>	<div style="text-align: center;"> <table border="1" style="border-collapse: collapse; width: 100%;"> <tr><td></td><td>0</td><td>6</td><td>6</td><td>3</td><td>r</td><td>5</td></tr> <tr><td>8</td><td>5</td><td>3</td><td>0</td><td>9</td><td></td><td></td></tr> </table> </div> <p>Short division with remainders: Now that pupils are introduced to examples that give rise to remainder answers, division needs to have a real life problem solving context, where pupils consider the meaning of the remainder and <u>how</u> to express it, ie. as a fraction, a decimal, or as a rounded number or value, depending upon the context of the problem.</p>		0	6	6	3	r	5	8	5	3	0	9																																											
	0	6	6	3	r	5																																																		
8	5	3	0	9																																																				

Using the bar to support division problems.



Bar Model to support understanding of problem solving:

Frank has 4920 apples. He needs to put them into baskets of 40. How many baskets does he need?



Year 6

Addition							
<p>Adding several numbers with up to three decimal places.</p>	<div style="display: flex; align-items: flex-start;"> <div style="flex: 1;"> </div> <div style="flex: 1; padding-left: 20px;"> <p>Adding several numbers with different numbers of decimal places (including money and measures):</p> <ul style="list-style-type: none"> Tenths, hundredths and thousandths should be correctly aligned, with the decimal point lined up vertically including in the answer row. </div> </div>						
<p>Adding using the bar.</p>	<p>Jack went on holiday. His flight cost €70.50, the hotel €1295 and spending money €427.89. How much did Jack spend on his holiday?</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td colspan="3" style="text-align: center;">?</td> </tr> <tr> <td style="text-align: center;">€70.50</td> <td style="text-align: center;">€427.89</td> <td style="text-align: center;">€1295</td> </tr> </table>	?			€70.50	€427.89	€1295
?							
€70.50	€427.89	€1295					
Subtraction							
<p>Subtracting with increasingly large and more complex numbers and decimal values.</p>	<div style="display: flex; align-items: flex-start;"> <div style="flex: 1;"> </div> <div style="flex: 1; padding-left: 20px;"> <p>Very important to use in a range of contexts- measures and money.</p> </div> </div>						
<p>Using the bar for subtraction.</p>	<p>Chloe wants to buy a new car for €6450. She has €4885.87 in her savings account. Her Dad gives her €150 for her birthday. How much more money does she need to save?</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td colspan="3" style="text-align: center;">€6450</td> </tr> <tr> <td style="text-align: center;">€4885.87</td> <td style="text-align: center;">€150</td> <td style="text-align: center;">?</td> </tr> </table>	€6450			€4885.87	€150	?
€6450							
€4885.87	€150	?					

Multiplication																																																																					
Short and long multiplication with up to two decimal places.																																																																					
Using the bar to help with multiplication.	<p>If 5 friends went on holiday and each paid £579.75 what was the total cost of the holiday?</p> <p style="text-align: right;">Cost of the holiday</p> <div style="border: 1px solid black; background-color: #9c27b0; padding: 5px; width: 150px; margin-left: auto;"> ? </div> <div style="border: 1px solid black; background-color: #9c27b0; padding: 2px; margin-left: 50px; display: inline-block;"> £579.75 </div>																																																																				
Division																																																																					
digits by both single digit and 2 digit numbers. (including decimal numbers and quantities)	<p>Short division with remainders: Pupils should continue to use this method, but with numbers to at least 4 digits, and understand how to express remainders as fractions, decimals, whole number remainders, or rounded numbers. Real life problem solving contexts need to be the starting point, where pupils have to consider the most appropriate way to express the remainder.</p> 																																																																				
Long division this is for when dividing by two digit numbers.	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <p>Try this equation: $848 \div 16 =$</p> <p>Approximation $800 \div 16 =$ 50</p> <table style="border-collapse: collapse; margin-left: 20px;"> <tr><td style="border-right: 1px solid black; padding: 5px;">0</td><td style="padding: 5px;">5</td><td style="padding: 5px;">3</td></tr> <tr><td style="border-right: 1px solid black; padding: 5px;">16</td><td style="padding: 5px;">8</td><td style="padding: 5px;">4</td></tr> <tr><td style="border-right: 1px solid black; padding: 5px;"></td><td style="padding: 5px;">-8</td><td style="padding: 5px;">0</td></tr> <tr><td style="border-right: 1px solid black; padding: 5px;"></td><td style="padding: 5px;"></td><td style="padding: 5px;">4</td></tr> <tr><td style="border-right: 1px solid black; padding: 5px;"></td><td style="padding: 5px;"></td><td style="padding: 5px;">8</td></tr> <tr><td style="border-right: 1px solid black; padding: 5px;"></td><td style="padding: 5px;"></td><td style="padding: 5px;">-4</td></tr> <tr><td style="border-right: 1px solid black; padding: 5px;"></td><td style="padding: 5px;"></td><td style="padding: 5px;">8</td></tr> <tr><td style="border-right: 1px solid black; padding: 5px;"></td><td style="padding: 5px;"></td><td style="padding: 5px;">0</td></tr> </table> <p style="font-size: 0.8em; margin-top: 5px;"> 40 = 16 × 2 76 remainder </p> </div> <div style="width: 45%;"> <p style="color: green; font-weight: bold; font-size: 1.5em;">+</p> <p style="text-align: right; color: orange; font-weight: bold;">Division</p> <p style="text-align: right; margin-right: 20px;">$564 \div 13$</p> <table style="border-collapse: collapse; margin-left: 20px;"> <tr><td style="padding: 5px;">4</td><td style="padding: 5px;">3</td><td style="padding: 5px;">3</td><td style="padding: 5px;">8</td></tr> <tr><td style="border-right: 1px solid black; padding: 5px;">13</td><td style="padding: 5px;">5</td><td style="padding: 5px;">6</td><td style="padding: 5px;">4</td></tr> <tr><td style="border-right: 1px solid black; padding: 5px;"></td><td style="padding: 5px;"></td><td style="padding: 5px;"></td><td style="padding: 5px;">-13</td></tr> <tr><td style="border-right: 1px solid black; padding: 5px;"></td><td style="padding: 5px;"></td><td style="padding: 5px;"></td><td style="padding: 5px;">11</td></tr> <tr><td style="border-right: 1px solid black; padding: 5px;"></td><td style="padding: 5px;"></td><td style="padding: 5px;"></td><td style="padding: 5px;">0</td></tr> </table> <p style="margin-top: 10px;">$564 \div 13 = 43 \text{ r } 5 = 43 \frac{5}{13} = 43.4 \text{ (to 1dp)}$</p> <div style="border: 1px solid black; padding: 5px; font-size: 0.7em; margin-top: 10px;"> <p style="text-align: center;">Using inverse multiplication facts</p> <table style="width: 100%; border-collapse: collapse;"> <tr><td style="border-right: 1px solid black; padding: 2px;">13</td><td style="padding: 2px;">12</td></tr> <tr><td style="border-right: 1px solid black; padding: 2px;">13</td><td style="padding: 2px;">26</td></tr> <tr><td style="border-right: 1px solid black; padding: 2px;">13</td><td style="padding: 2px;">39</td></tr> <tr><td style="border-right: 1px solid black; padding: 2px;">13</td><td style="padding: 2px;">52</td></tr> <tr><td style="border-right: 1px solid black; padding: 2px;">13</td><td style="padding: 2px;">65</td></tr> <tr><td style="border-right: 1px solid black; padding: 2px;">13</td><td style="padding: 2px;">78</td></tr> <tr><td style="border-right: 1px solid black; padding: 2px;">13</td><td style="padding: 2px;">91</td></tr> <tr><td style="border-right: 1px solid black; padding: 2px;">13</td><td style="padding: 2px;">104</td></tr> <tr><td style="border-right: 1px solid black; padding: 2px;">13</td><td style="padding: 2px;">117</td></tr> <tr><td style="border-right: 1px solid black; padding: 2px;">13</td><td style="padding: 2px;">130</td></tr> <tr><td style="border-right: 1px solid black; padding: 2px;">13</td><td style="padding: 2px;">143</td></tr> <tr><td style="border-right: 1px solid black; padding: 2px;">13</td><td style="padding: 2px;">156</td></tr> </table> </div> </div> </div>	0	5	3	16	8	4		-8	0			4			8			-4			8			0	4	3	3	8	13	5	6	4				-13				11				0	13	12	13	26	13	39	13	52	13	65	13	78	13	91	13	104	13	117	13	130	13	143	13	156
0	5	3																																																																			
16	8	4																																																																			
	-8	0																																																																			
		4																																																																			
		8																																																																			
		-4																																																																			
		8																																																																			
		0																																																																			
4	3	3	8																																																																		
13	5	6	4																																																																		
			-13																																																																		
			11																																																																		
			0																																																																		
13	12																																																																				
13	26																																																																				
13	39																																																																				
13	52																																																																				
13	65																																																																				
13	78																																																																				
13	91																																																																				
13	104																																																																				
13	117																																																																				
13	130																																																																				
13	143																																																																				
13	156																																																																				
Using the bar to help divide.	<p>Paul and David hire a car together at a cost of £297.50. Paul pays 6 times more than David. How much does David pay?</p> <div style="text-align: center; margin-top: 20px;"> <table style="border: 1px solid black; background-color: #bbdefb; padding: 10px; width: 250px;"> <tr><td colspan="7" style="text-align: center;">£297.50</td></tr> <tr><td style="width: 20%;"></td><td style="width: 20%;"></td><td style="width: 20%;"></td><td style="width: 20%;"></td><td style="width: 20%;"></td><td style="width: 20%;"></td><td style="width: 20%;"></td></tr> </table> <div style="display: flex; justify-content: center; gap: 50px; margin-top: 5px;"> <div style="text-align: center;"> { Paul </div> <div style="text-align: center;"> } David </div> </div> </div>	£297.50																																																																			
£297.50																																																																					